


23-01



云南天籟环保科技有限公司

检测报告

天籟环字[2022]318号

项目名称： 华新红塔水泥（景洪）有限公司自行检测（2022年第一季度在线比对）

检测地点： 景洪市（具体地址）

检测日期： 委托检测

云南天籟环保科技有限公司



声 明

测专用章，骑缝章均无效。

4.本报告涂改，撕页无效。

责，不对样品来源负责。由监测方采集样品，

承担页责

6.本报告不得作为商业宣传及未注明的其他用途，违者必究。

7.检测委托方对本报告有异议，请于收到报告之日起十五日内提

一、委托单位信息

表 1.1 委托单位信息

委托单位名称	华新红塔水泥（景洪）有限公司		
通讯地址	景洪市		
联系人	袁工	联系电话	15923401659

二、样品基本情况

表 2.1 本组检测样品基本情况

样品名称	水泥
样品来源	华新红塔水泥（景洪）有限公司
样品数量	100kg
样品状态	袋装
样品编号	HL-2022-001
样品接收日期	2022-08-15
样品检测日期	2022-08-16
样品检测地点	天籁环保科技有限公司实验室
样品检测人员	张三、李四
样品检测仪器	水泥胶砂强度试验机、水泥标准稠度仪、水泥安定性测定仪
样品检测结果	符合 GB 175-2007 标准要求
样品检测结论	合格

2013

(4) 《2013 年云南省大气污染物排放标准》(SO₂、NO_x、PM₁₀、PM_{2.5})；

(5) 《2013 年云南省大气污染物排放标准》(SO₂、NO_x、PM₁₀、PM_{2.5})；

(6) 《国家重点监控企业污染源自动监测数据有效性审核



五、评价标准

表 4-1 在线比对执行标准

Figure 1 consists of three panels. Panel (a) is a line graph showing the weekly incidence of influenza A(H3N2) in Hong Kong from 1999 to 2004. The y-axis represents the number of cases (0 to 1000), and the x-axis represents the week (1 to 52). The incidence shows a significant drop in 2003 compared to the previous years. Panel (b) is a bar chart showing the percentage of influenza A(H3N2) cases by week from 1999 to 2004. The y-axis represents the percentage (0 to 100), and the x-axis represents the week (1 to 52). The percentage of cases increases significantly in 2003. Panel (c) is a bar chart showing the percentage of influenza A(H3N2) cases by age group (0-4, 5-14, 15-24, 25-34, 35-44, 45-54, 55-64, 65-74, 75+) from 1999 to 2004. The y-axis represents the percentage (0 to 100), and the x-axis represents the age group. The percentage of cases shifts towards older age groups in 2003.

六、有组织废气在线比对结果






表 1 大环环字[2022] 318号 / 全厂总 / 废水总排口





表 2 大环环字[2022] 318号 / 全厂总 / 废水总排口




	相对误差 RE (%)	-1.09
	数据对差的平均值的绝对值	0.1
	数据对差的标准偏差 S _d	0.158
	置信系数 cc	0.122
	相对准确度 RA (%)	2.41

注: RE 为相对误差, RA 为相对准确度, cc 为置信系数, S_d 为标准偏差。



表 5-4 参比方法评估气态污染物 CEMS (SO₂) 准确度检测

监测项目	二氧化硫	计量单位	mg/m ³
测试人员	朱伟杰、罗钦筱	测试地点	华新红塔水泥（昆明）有限公司



4.2.2 FEMS (NO_x) 准确度检测

表 A-9 参比方法评价报告					
检测项目		参比方法名称		参比方法来源	
				测试地点	华新红塔水泥(贵筑)有限公司

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

[illegible]



表 7-1 参比方法评价颗粒物 CEMS 精度 CEMS 烟道 CEMS 非核电厂烟道


[illegible]









[illegible]





An aerial photograph of a city grid, likely New York City, showing a dense arrangement of streets and buildings. A red rectangle is overlaid on the image, highlighting a specific area of interest in the lower-left quadrant. The grid pattern is clearly visible, with major roads and avenues intersecting at right angles. The red rectangle is positioned over a block of buildings, possibly indicating a site of investigation or a specific urban planning area.

100

表 9-2 有组织废气 G2 窑头废气热风管检测结果表

采样日期 (2022.01.20)

编制: 杨仕良 日期: 2022年1月27日

审核: 张永光 日期: 2022年1月27日

批准: 张永光 日期: 2022年1月27日

报告结束